Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	11	("6243814" "6192483" "6182197" "6151688" "6038651" "6029168" "5999976" "5978811" "5933875" "5893086" "5828876").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 11:17
S5	39	(access\$3 near control\$4) near5 (serial\$1 identifier\$1) near5 (node\$1 drive\$1 disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S6	0	S5 same (san\$1 (storage adj area adj network\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:53
S7	14	S5 same network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:53
S8	41	((securit\$3 access\$3) near (polic\$3 control\$4)) near5 (serial\$1 identifier\$1) near5 (node\$1 drive\$1 disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF ,	2005/08/24 17:05
S9	79	((securit\$3 access\$3) near3 (polic\$3 control\$4)) near5 (serial\$1 identifier\$1) near5 (node\$1 drive\$1 disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:55
S10	30	S9 same (network\$1 intranet\$1 internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:56
S11	0	((securit\$3 access\$3) near (polic\$3 control\$4)) near5 (serial\$1 identifier\$1) near5 (hard adj drive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:05
S12	54	((securit\$3 access\$3) near (polic\$3 control\$4)) near5 (serial\$1 identifier\$1) near5 ((hard adj drive\$1) storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S13	29	("6343324").URPN.	USPAT	OR	OFF	2005/08/25 10:47

S14	2167	(san\$1 (storage adj area adj network\$1)) same (signature\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR.	OFF	2005/08/25 10:49
S15	371	S14 same serial\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/25 10:48
S16	11	S15 same access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/25 10:49
S17	12	(storage adj area adj network\$1) same signature\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/25 11:04
S18	14	((storage adj area adj network\$1) (network adj attached adj storage)) same signature\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/25 11:10
S19	216	((storage adj area adj network\$1) (network adj attached adj storage)) same (security (volume near3 (access permission\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/25 12:53
S27	275	signature\$1 and (storage adj area adj network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 10:29
S28	170	(signature\$1 same (media stor\$3 disk\$1)) and (storage adj area adj network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 10:29
S29	3	(signature\$1 same (media stor\$3 disk\$1) same (reserv\$3 exclusive)) and (storage adj area adj network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15
S30	.3525	((node cluster) near own\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 10:59

			-			
S31	71	((node cluster) near own\$3) same (label\$1 signature\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 11:23
S32	7	S31 and ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 11:23
S33	0	((node cluster) near own\$3) same (label\$1 signature\$1) same (windows nt)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 11:23
S34	24954	(windows nt same (label\$1 signature\$1)) and ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 11:24
S35	1356	((windows nt) same (label\$1 signature\$1)) and ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 11:24
S36	383	((windows) same (label\$1 signature\$1)) and ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 11:24
S37	14	((windows) same (label\$1 signature\$1)) same ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:40
S38	6	(vendor near3 product near3 serial) near10 (drive disk storage media)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:35
S39	10	(vendor\$1 near5 product\$1 near5 serial\$1) near10 (drive\$1 disk\$1 storage\$1 media\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:36
S40	0	(vendor\$1 near5 product\$1 near5 serial\$1) near10 (drive\$1 disk\$1 storage\$1 media\$1) near10 unique	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:36

S41	8	(vendor\$1 near5 product\$1 near5	US-PGPUB;	OR	OFF	2005/08/26 12:37
U 12		serial\$1) near10 unique	USPAT; USOCR; EPO; JPO; IBM_TDB	O.K		
S42	11	(vendor\$1 near5 product\$1 near5 serial\$1) near10 unique\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:39
S43	80	((product\$1 near3 (identif\$3 id)) near5 serial\$1) near10 unique\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:42
S44	15	S43 same (disk\$1 drive\$1 storage media)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:43
S45	10	("5289372" "5572195" "5629981" "5715174" "5862117" "5936527" "5949335" "5970227" "5983369" "6046676").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 12:42
S46	373	((product\$1 near3 (identif\$3 id)) near5 serial\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:42
S47	151	S46 same (device\$1 disk\$1 drive\$1 storage media)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:43
S48	60	S47 same unique\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 12:44
S49	· 41	(label\$1 signature\$1) same ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4)) same (timestamp\$1 interval\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:43
S50	1901	((label\$1 signature\$1) same (timestamp\$1 interval\$1)) and ((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:41

S51	2059	((label\$1 signature\$1) same (timestamp\$1 interval\$1)) same (media storage disk\$1 drive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:42
S52	323	((label\$1 signature\$1) same (timestamp\$1 interval\$1)) same (media storage disk\$1 drive\$1) same (overrid\$3 releas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:43
S53	11	((label\$1 signature\$1) same (timestamp\$1 interval\$1)) same (media storage disk\$1 drive\$1) same (overrid\$3 releas\$3) same access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:42
S54	320	((label\$1 signature\$1) same (interval\$1)) same (media storage disk\$1 drive\$1) same (overrid\$3 releas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:43
S55	2	(((label\$1 signature\$1) same (interval\$1)) same (media storage disk\$1 drive\$1) same (overrid\$3 releas\$3)) and (((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4)) same (timestamp\$1 interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:44
S56	2	(((label\$1 signature\$1) same (timestamp\$1 interval\$1)) same (media storage disk\$1 drive\$1) same (overrid\$3 releas\$3)) and (((san (storage adj area adj network\$1)) (nas (network adj attached adj storage)) (fibre adj channel\$4)) same (timestamp\$1 interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:44
S57	2277	((counter\$1 timestamp\$1) near5 (access\$ permission\$1)) same (disk\$1 drive\$1 storage media)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:47
S58	239	S57.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:45

		LAST Scal	, , , , , , ,			
S59	77	S57 same (releas\$3 overrid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/08/08 15:15
S60	70	((timestamp\$1) near5 (access\$ permission\$1)) same (disk\$1 drive\$1 storage media)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 13:52
S63	5	((timestamp\$1) near5 (access\$ permission\$1)) same (disk\$1 drive\$1 storage media) same (shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 14:00
S64	27	((timestamp\$1) same (access\$ permission\$1)) same (disk\$1 drive\$1 storage media) same (shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/26 14:54
S66	2481	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 12:47
S67	6434	709/227-229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 12:48
S68	1370	709/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 12:48
S69	1	(Seetharaman and Huizenga).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15
S70	58892	(international adj business adj machines).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15
S71	7512	709/217-219.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:13

S72	3162	711/147-153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S73	599	711/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 13:08
S74	61	((securit\$3 access\$3) near (polic\$3 control\$4)) near5 (serial\$1 identifier\$1) near5 ((hard adj drive\$1) storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 14:16
S78	8485	709/217-219.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S79	3911	709/219.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S80	3403	711/147-153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S81	56	(access\$3 near control\$4) near5 (serial\$1 identifier\$1) near5 (node\$1 drive\$1 disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S82	63	((securit\$3 access\$3) near (polic\$3 control\$4)) near5 (serial\$1 identifier\$1) near5 ((hard adj drive\$1) storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:14
S83	746	(signature\$1 same (media stor\$3 disk\$1) same (reserv\$3 exclusive))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15
S84	2462	((counter\$1 timestamp\$1) near5 (access\$ permission\$1)) same (disk\$1 drive\$1 storage media)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15

S85	81	S84 same (releas\$3 overrid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15
S86	1	(Seetharaman and Huizenga).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:16
S87	63422	(international adj business adj machines).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:15
S88	188	(Seetharaman Huizenga).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:16
S89	8	S87 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/08 15:16
S96	1214	(read\$3 access\$3) near5 (identifier\$1 ((serial\$1 product\$1 vendor\$1) near3 number\$1)) near5 (compar\$3 comparison\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:25
S97	14966	prevent\$6 near5 copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:25
S98		S96 same S97	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:30
S99	565	(determin\$6 differentiat\$6 identif\$6) near5 original near5 (storag\$3 media\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:35
S10 0	9	S99 same ((vendor\$1 product\$1 serial\$1) near5 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:37

			•			
S10 1	640	(determin\$6 differentiat\$6 identif\$6) near5 original near5 (storag\$3 media\$1 driv\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:50
S10 2	71	S101.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:35
S10 3	10	S101 same ((vendor\$1 product\$1 serial\$1) near5 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:51
S10 4	1712	(determin\$6 differentiat\$6 identif\$6) near5 (cop\$4) near5 (storag\$3 media\$1 driv\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:59
S10 5	21	S104 same ((vendor\$1 product\$1 serial\$1) near5 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 17:00
S10 6	1804	(determin\$6 differentiat\$6 identif\$6) near5 (cop\$4) near5 (storag\$3 media\$1 drive\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:59
S10 7	1854	(determin\$6 differentiat\$6 identif\$6) near5 (cop\$4) near5 (storag\$3 media\$1 drive\$1 partition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF .	2006/11/26 17:01
S10 8	1517	(determin\$6 differentiat\$6 identif\$6) near5 (cop\$4) near5 (storag\$3 drive\$1 partition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 16:59
S10 9	11	S108 same ((vendor\$1 product\$1 serial\$1) near5 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 17:00
S11 0	2158	(determin\$6 differentiat\$6 identif\$6) near5 (cop\$4) near5 (storag\$3 media\$1 drive\$1 partition\$1 volume\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 17:01

S11 1	71	S110 same ((vendor\$1 product\$1 serial\$1 volume\$1) near5 (identifer\$1 number\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/26 17:01
S11 2	15	("5940854").URPN.	USPAT	OR	OFF	2006/11/26 17:17
S11 3	. 14	("4458315" "5113518" "5379433" "5644444" "5703858" "5805549" "5805800" "5857021" "5940854" "6092195" "6199148" "6243796" "6247090" "6278984").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:12
S11 4	1477	709/200.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:12
S11 5	19051	709/223-229.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:13
S11 6	1279	726/4.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:13
S11 7	2276	726/26-33.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:13
S11 8	2870	710/36-51.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:13
S11 9	3555	711/147-153.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:13
S12 0	1716	711/163-164.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/28 15:13